British Cardiac Society Newsletter

is proposing to organise similar workshops to produce guidelines for management of acute myocardial infarction and congestive cardiac failure. The committee is conscious of the risk of "reinventing the wheel" and of producing documents which will rapidly be forgotten. Other organisations are also formulating guidelines and it is proposed that there should be some liaison with the European Society of Cardiology.

Several colleagues have expressed concern over training in, and complications from, temporary cardiac pacing. The Joint Audit Committee, jointly with the British Pacing and Electrophysiology Group, is proposing to conduct a survey to find out whether there is a problem, and a brief questionnaire will be issued shortly to go with a simple form on which respondents can provide details of the next ten procedures for temporary wires.

Finally, Nick Brooks has resigned from the chairmanship of the committee and will be succeeded by David de Bono. The new chairman welcomes views on areas of practice to be considered by the committee, or any other comments or complaints, and can be contacted directly at his Leicester address shown above.

#### **British Paediatric Cardiac Association**

Last year (1992) was a year full of varied activities in the British Paediatric Cardiac Association. Three meetings of the BPCA were held in 1992. The first meeting was held at Coventry in April 1992 in conjunction with the British Paediatric Association. The second BPCA meeting was in conjunction with the British Cardiac Society at Harrogate in May 1992 and dealt exclusively with the Fontan operation, with the chief guest being Professor Fontan himself. Needless to say, all the questions about the operation were not answered but the discussion was lively. The third (autumn) meeting at Birmingham in November 1992 was a 2-day affair and again was extremely well attended. This dealt with various contentious topics as well as treatment of arrhythmias by radiofrequency ablation.

In 1993, once again, three meetings are proposed, one with the British Paediatric Association at Coventry in April 1993, one with the British Cardiac Society at Wembley in May 1993, and one solely a BPCA meeting at Harrogate on November 26–27, 1993. The last meeting will cover heart failure.

An important task that was suddenly thrust upon the BPCA Council was to produce, at a very short notice, a report appraising paediatric cardiology services for the Children's Specialty Review for the London Implementation Group. This has duly been submitted to the British Cardiac Society and British Paediatric Association.

The membership of the British Paediatric Cardiac Association has continued to increase this year and has reached almost 170 ordinary and candidate members.

There have been some important movements in paediatric cardiac surgery. Mrs Roxane McKay has resigned from the Royal Liverpool Children's Hospital and moved to Canada. Dr Marco Pozzi has been appointed in her place. Mr Pankaj Mankad has been appointed consultant paediatric cardiac surgeon at the Freeman Hospital, Newcastle upon Tyne.

# Health care management and the cardiologist

Many will be aware of a letter sent by the NHS Management Executive to all regional general managers to the effect that "It is simply unacceptable to offer significantly different standards of care. . . depending on the time in the financial year at which they present". Surely all agree with these sentiments, but on reflection may find them hard to implement. Urgency is not categorical but relative. Severe three vessel disease with angina on minimal exertion may seem urgent until a patient with aortic dissection presents. It is often difficult to anticipate such events. However, all need to try to set an even pace of work throughout the year. Ultimately planning a contingency fund or surplus for the end of the year may be the only way of guaranteeing continuity of care, but this means limiting the access to health care of seemingly less urgent cases earlier in the financial year. Even patients at low risk can die while awaiting surgery and the cardiologist's decision may be criticised. It is easy to be wise after the event and retrospective judgments have a certain popular appeal.

A recent survey of consultants found that 3% of hospitals restricted emergency admissions, 17% barred all non-emergency admissions, 16% had admissions vetoed by managers, and 12% had quotas imposed on them. It is important that consultants' freedom to make clinical decisions is upheld but this can only be maintained if the privilege is used wisely.

Meanwhile the National Health Service Management Executive is about to review the weighted capitation formula for the distribution of health care resources in the light of the 1991 census data. The effects of this, and the possibility that funding allocation cannot be derived from any empirical formula, have been highlighted recently. Interested parties may care to read the article by Sheldon et al (Weighting in the dark: resource allocation in the new NHS. BMJ 1993;306:835–9). An increase in resources for one authority can only be obtained at the expense of others. Clearer explanations for the variation in need and utilisation of services is needed urgently if equality of health care is to be maintained.

### News from Europe

Philip Poole-Wilson writes: "The Board of the European Cardiology Society has taken a formal decision to establish a European Video Journal of Cardiology. This will be a joint enterprise between the European Society of Cardiology, Kluwer Academic Publishers, and Cardio Diffusion. The purpose of this new journal is to keep all those interested in cardiovascular medicine up to date with new developments in research and clinical practice. Initially there will be six issues in each year. An editorial board has been formed. Prof Lars Ryden from Stockholm has been appointed editor in chief and Dr Nina Rosenqvist is deputy editor. Other members of the editorial board are Prof A Bayes de Luna, Prof G Breithardt, Prof J M Detry and Prof F Dienstl. This is a new venture into publishing using a new medium. Many of you will have received video recordings through your letter boxes and in America there are special channels on the television to receive medical broadcasts. It is probably a medium which

will have a considerable future in Europe. Feedback and comment on the new European Video Journal of Cardiology will be helpful. Please do look at the issues and if you wish to contribute contact the Editor."

#### **British Cardiac Society Elections**

As a result of recent elections, Raphael Balcon is to fill the vacant position of President Elect from May 1993, and Stewart Hunter, Hugh O'Kane, and Man Fai Shiu will join Council.

#### News of colleagues

The following consultant cardiologist appointments were made earlier this year. RJ Wainwright as consultant in interventional cardiology at King's College Hospital, London; JJ McMurray as consultant cardiologist to the Western General in Edinburgh; C Bucknall as consultant cardiologist at Guys Hospital, London; Dr P G Reid as consultant physician with a special interest in cardiology at Countess of Chester Hospital, Chester; Dr D Pennell as senior lecturer/honorary consultant in cardiac imaging at the Royal Brompton National Heart and Lung Hospital, London; Sheffield University interviewed four candidates for the chair of cardiology but failed to make an appointment.

> JOHN G F CLELAND Assistant Secretary, British Cardiac Society D JOHN PARKER President, British Cardiac Society, 9 Fitzroy Square, London W1P 5AH

# **NOTICES**

The 1994 Annual Meeting of the **British** Cardiac Society will take place at the Riviera Centre, Torquay from 17 to 20 May.

The International Workshop for Models for Atherosclerosis Research organised by the European Society of Cardiology Working Group Pathogenesis of Atherosclerosis will take place in Bristol on 24 to 25 September 1993—Further details from Professor G D Angelini, Department of Cardiac Surgery, Bristol Royal Infirmary, Bristol BS2 8HW, United Kingdom.

The next Journées Européennes of the Société Française de Cardiologie will be held in Paris on the 13 to 15 January 1994. The closing date for abstracts is 15 July 1993. Further information is available from the Société Française de Cardiologie, 15 rue de Madrid, 75008 Paris, France (Tel: (1) 43.87.95.14. Fax (1) 43.87.17.14).

## VOLUME 69: AUTHOR INDEX

Aber CP see Phadke K et al Abrams SE see Walsh KP et al

Adam WE see Weismüller P et al

Adatia I, Barrow SE, Stratton P, Ritter JM, Haworth SG. Abnormalities in the biosynthesis of thromboxane A2 and prostacyclin in children with cyanotic congenital heart disease, 179

Adatia I, Haworth SG. Circulating endothelin in children with congenital heart disease, 233

Ahmed R see Stewart AB et al

Al-Mahdawi S, Chamberlain S, Cleland J, Nihoyannopoulos P, Gilligan D, French J, Choudhury L, Williamson R, Oakley C. Identification of a mutation in the beta cardiac myosin heavy chain gene in a family with hypertrophic cardiomyopathy, 136

Albers JJ see Brown BG et al

Anderson MH, Camm AJ. Implications for present and future applications of the implantable cardioverter-defibrillator resulting from the use of a simple model of cost efficacy: audit, 83

Anderson RH see Chow LT et al

Gerlis LM et al

Andrews R, Colloby P, Hubner PJB. Pulmonary artery dissection in a patient with idiopathic dilatation of the pulmonary artery: a rare cause of sudden cardiac death: case report, 268

Anjos R see Rosenthal E et al Appleby P see Pipilis A et al

Aps C see Iindani A et al

Arisawa J, Morimoto S, Ikezoe J, Naitoh H, Yamagami H, Kozuka T, Sano T, Shimazaki Y, Matsuda H. Pulsed Doppler echocardiographic assessment of portal venous flow patterns in patients after the Fontan operation, 41

Arnold R see Kitchiner DJ et al Walsh KP et al

Atkinson LM see Preedy VR et al

Bach FW. Beta-endorphin release in patients after spontaneous and provoked acute myocardial ischaemia: correspondence, 93

Baker EJ see Huggon IC et al

Rosenthal E et al

Baki S see Zimmermann R et al Bannister R see Smith GDP et al

Barker DJP. Fetal origins of coronary heart disease: editorial, 195

Barrow SE see Adatia I et al

Bashir Y, Heald SC, Katritsis D, Hammouda M, Camm AJ, Ward DE. Radiofrequency ablation of accessory atrioventricular pathways: predictive value of local electrogram characteristics for the identification of successful target sites, 315

Belch IIF see Bridges AB et al

Benson LN see Houde C et al

Berkovitz BKB, Rollinson C. Ultrastructural quantification of collagen in human chordae tendineae, 246

Bexton RS see Griffith MJ et al

Scott CD et al

Bindi F, Treasure T, Davies R. Occlusion of coronary vein grafts secondary to non-penetrating chest injury: case report, 362

Bishop A see Groves P et al

Björnebrink J see Teien DE et al

Boldrini R see Zachara E et al

**Book reviews** 

Cheng TO, editor. Percutaneous balloon valvuloplasty, 1992, 94; correction, 472

Hampton JR. The ECG in practice, 1992, 573

Boon N see Pipilis A et al

Boschat J see Jobic Y et al

Bosman C see Zachara E et al

Brecker SJ see Mbaissouroum M et al

Brecker SJD see Henein MY et al

Xiao HB et al

Brembilla-Perrot B, de la Chaise AT, Briançon S, Takoordial M, Suty-Selton C, Thiel B, Brua JL. Clinical significance of rapid ventricular tachycardia (>270 beats per minute) provoked at programmed stimulation in patients without confirmed rapid ventricular arrhythmias, 20

Briançon S see Brembilla-Perrot B et al

Bridges AB, McLaren M, Scott NA, Pringle TH, McNeill GP, Belch JJF. Circadian variation of tissue plasminogen activator and its inhibitor, von Willebrand factor antigen, and prostacyclin stimulating factor in men with ischaemic heart disease, 121

Brookes CIO, Fry CH. Ionised magnesium and calcium in plasma from healthy volunteers and patients undergoing cardiopulmonary bypass, 404

Brookes J see Foran JPM et al

Brooks NH see Grant SCD and Brooks NH

Brown BG, Zhao X-Q, Sacco DE, Albers JJ. Arteriographic view of treatment to achieve regression of coronary atherosclerosis and to prevent plaque disruption and clinical cardiovascular events, \$48

Brown MJ see Hall JA et al

Brua JL see Brembilla-Perrot B et al

Brusca A see Orzan F et al

Bryant B see Mayou R and Bryant B

Buller N see Henein MY et al

Bussani R see Miani D et al

Caforio ALP see Zachara E et al

Camerini F see Miani D et al

Camm AJ see Anderson MH and Camm AJ

Bashir Y et al Fei L et al Gill JS et al

Haywood GA et al

Simpson IA et al Campbell RW see McLay JS et al

Carboni GP see Zachara E et al

Carson P see Phadke KV et al

Caruana MP see Norris RM et al

Castelli WP. The fact and fiction of lowering cholesterol concentrations in the primary prevention of coronary heart disease, \$70

Celermajer DS, Cullen S, Deanfield JE. In vivo detection of endothelium dependent and independent pulmonary artery relaxation in children, 298

Celermajer DS, Deanfield JE. Employment and insurance for young adults with congenital heart disease, 539

Chamberlain D, Dymond D. British Cardiac Society Newsletter, 95, 193, 276, 368, 471

Chamberlain S see Al-Mahdawi S et al

Chan K-L see Pachulski RT and Chan K-L

Chan KC, Godman MJ. Morphological variations of fossa ovalis atrial septal defects (secundum): feasibility for transcutaneous closure with the clam-shell device, 52

see also Rosenthal E et al

Chan WL see Gilligan DM et al Chapman RA see Suleiman M-S et al

Chauhan A, Mullins PA, Taylor G, Petch MC, Schofield PM. Effect of hyperventilation and mental stress on coronary blood flow in syndrome X, 516

Chen B-F see Chen M-R et al

Chen M-R, Chiu I-S, Chen B-F. Hypoplastic left heart syndrome with right aortic arch in a newborn: case report, 449

Chiu I-S see Chen M-R et al

Choquet D see Jobic Y et al

Choudhury L see Al-Mahdawi S et al

Chow LT, Chow SS, Anderson RH, Gosling JA. Innervation of the human cardiac conduction system at birth, 430

Chow SS see Chow LT et al

Christie J see Ray SG et al

Chung EE see Denbow CE et al

Clarke DTR see Phadke KV et al

Clausen M see Weismüller P et al

Cleland J see Al-Mahdawi S et al

Cleland JGF, Krikler DM. Modification of atherosclerosis by agents that do not lower cholesterol, \$54

Cleland JGF, Shah D, Krikler S, Dritsas A, Nihoyannopoulos P, Frost G, Oakley CM. Effects of lisinopril on cardiorespiratory, neuroendocrine, and renal function in patients with asymptomatic left ventricular dysfunction, 512

Coats AJS. Starting treatment with angiotensin converting enzyme inhibitors in heart failure: how, when, and how much: editorial, 282

Cobbe SM, Shepherd J. Cholesterol reduction in the prevention of coronary heart disease: therapeutic rationale and guidelines, S63 see also Ray SG et al

Collins P. Coronary flow reserve: editorial, 279

Collins R see Pipilis A et al

Colloby P see Andrews R et al

Connelly DT, de Belder MA, Cunningham D, Lopes AN, Rickards AF, Rowland E. Long-term follow up of patients treated with a software based antitachycardia pacemaker, 250 see also Ray SG et al

Conte MR see Orzan F et al

Conway N see Fitzpatrick AP et al

Cooper IC see Lawson CS et al

Cooper JP, Jackson J, Walker JM. False aneurysm of the pulmonary artery associated with cardiac catheterisation: case report, 188

Cross DB see Norris RM et al

Crozier IG see Richards AM et al

Cubero GI, Reguero JJR, Ortega JMR. Restrictive cardiomyopathy caused by chloroquine: case report, 451

Cullen S see Celermajer DS et al

Cunningham AD. A posteroseptal accessory pathway located in a coronary sinus aneurysm: diagnosis and radiofrequency catheter ablation: correspondence, 94

see also Holdright DR et al

Cunningham D see Connelly DT et al

Currie P, Saltissi S. Transient myocardial ischaemia after acute myocardial infarction does not induce ventricular arrhythmias, 303

da Costa D, McIntosh S, Kenny RA. Benefits of fludrocortisone in the treatment of symptomatic vasodepressor carotid sinus syndrome,

Dargie HJ see Ray SG et al

Dark JH see Scott CD et al

Davarashvili T see Henein MY et al

Davies MJ. Atherosclerosis: foreword, S1

Do coronary angiograms reflect progression of atherosclerosis? abstracts in cardiology, \$62

Laboratory screening: abstracts in cardiology, \$29

Davies MJ, Richardson PD, Woolf N, Katz DR, Mann J. Risk of thrombosis in human atherosclerotic plaques: role of extracellular lipid, macrophage, and smooth muscle cell content, 377

Davies MJ, Woolf N. Atherosclerosis: what is it and why does it occur?

Davies R see Bindi F et al

Davies SW, Ranjadayalan K, Wickens DG, Dormandy TL, Umachandran V, Timmis AD. Free radical activity and left ventricular function after thrombolysis for acute infarction, 114

Davies SW, Wedzicha JA. Hypoxia and the heart: editorial, 3

Dawkins K see Fitzpatrick AP et al

de Belder MA see Connelly DT et al

Simpson IA et al

de Bono D see Gershlick AH and de Bono D

de la Chaise AT see Brembilla-Perrot B et al

de Leval M see Kilner P and de Leval M

De Swiet M. Maternal mortality from heart disease in pregnancy: commentary, 524

Deanfield JE see Celermajer DS and Deanfield JE

Celermajer DS et al

Del Porto G see Zachara E et al

Denbow CE, Chung EE, Serjeant GR. Pulmonary artery pressure and the acute chest syndrome in homozygous sickle cell disease, 536

Dengler TJ see Zimmermann R et al

Dhasmana JP see Dihmis WC et al Dickerson JEC see Hall JA et al

DiCorleto PE see Faruqi RM and DiCorleto PE

Dihmis WC, Hutter JA, Joffe HS, Dhasmana JP, Jordan SC, Wisheart JD. Medium-term clinical results after the Senning procedure with haemodynamic and angiographic evaluation of the venous pathways, 436

see also Suleiman M-S et al

Dobbs HJ see Smith REA et al

Dormandy TL see Davies SW et al

Dormehl I see Weismüller P et al

Dritsas A see Cleland JGF et al Dyet JF see Phadke K et al

Dymond D see Chamberlain D and Dymond D

Ekelund L see Teien DE et al

Elliott JM see Norris RM et al

Elwood PC, Yarnell JWG, Pickering J, Fehily AM, O'Brien JR. Exercise, fibrinogen, and other risk factors for ischaemic heart disease. Caerphilly Prospective Heart Disease Study, 183

Emori T, Ohe T, Shimomura K. Monophasic action potentials in a patient with multiform ventricular tachycardia without QT prolongation: case report, 356

Espiner EA see Richards AM et al

Fallowfield L. Quality of life assessment in patients with heart disease: editorial, 371

Faruqi RM, DiCorleto PE. Mechanisms of monocyte recruitment and accumulation, S19

Fehilv AM see Elwood PC et al

Fei L, Gill JS, Katritsis D, Camm AJ. Abnormal autonomic modulation of QT interval in patients with idiopathic ventricular tachycardia associated with clinically normal hearts, 311

Fernando HC see Suleiman M-S et al

Ferro A see Hall JA et al

Figliomeni MC see Orzan F et al

Firmin RK see Underwood MJ et al

Fitzpatrick AP, Dawkins K, Conway N. Emergency percutaneous transluminal coronary angioplasty for intractable ventricular arrhythmias associated with acute anterior myocardial infarction, 453

Flather M see Pipilis A et al

Foran JPM, Patel D, Brookes J, Wainwright RJ. Early mobilisation after percutaneous cardiac catheterisation using collagen plug (VasoSeal) haemostasis, 424

Ford I see Ray SG et al

Foster C see Pipilis A et al

Fox KM see Holdright DR et al French I see Al-Mahdawi S et al

Friedman D see Glickstein J et al

Frost G see Cleland JGF et al

Fry CH see Brookes CIO and Fry CH

Gane I see Gill IS et al

Gerlis LM, Schmidt-Ott SC, Ho SY, Anderson RH. Dysplastic conditions of the right ventricular myocardium: Uhl's anomaly v arrhythmogenic right ventricular dysplasia, 142

Gershlick AH, de Bono D. Restenosis after coronary angioplasty: a proposal of new comparative approaches based on quantitative angiography: correspondence, 469

Gibbs JL, Wren C, Watterson KG, Hunter S, Hamilton JRL. Stenting of the arterial duct combined with banding of the pulmonary arteries and atrial septectomy or septostomy: a new approach to palliation for the hypoplastic left heart syndrome: technique, 551

Gibson DG see Henein MY et al

Mbaissouroum M et al

Xiao HB et al

Gill JS, Hunter GJ, Gane J, Ward DE, Camm AJ. Asymmetry of cardiac [123I] meta-iodobenzyl-guanidine scans in patients with ventricular tachycardia and a "clinically normal" heart, 6 see also Fei L et al

Gilligan D see Al-Mahdawi S et al

Gilligan DM, Chan WL, Sbarouni E, Nihoyannopoulos P, Oakley CM. Autonomic function in hypertrophic cardiomyopathy, 525

Glaser J. A characteristic continuous wave Doppler signal in cor triatriatum? correspondence, 470

Glickstein J, Friedman D, Langsner A, Rutkowski M. Doppler ultrasound and the silent ductus arteriosus: correspondence, 193

Godman MJ see Chan KC and Godman MJ

Gosling JA see Chow LT et al

Granata M see Maron BJ et al

Grant SCD see Brooks NH. Accelerated graft atherosclerosis after heart transplantation: correspondence, 469

Gray RP, Yudkin JS, Patterson DL. Plasminogen activator inhibitor: a risk factor for myocardial infarction in diabetic patients, 228

Griffin MJ, O'Sullivan JJ, Scott A, Maurer BJ. Core and peripheral temperature response to exercise in patients with impaired left ventricular function, 388

Griffith MJ, Bexton RS, McComb JM. Financial audit of antitachycardia pacing for the control of recurrent supraventricular tachycardia: audit, 272

Groves P, Rees A, Bishop A, Morgan R, Ruttley M, Lewis N, Lane I, Hall R. Apolipoprotein(a) concentrations and susceptibility to coronary artery disease in patients with peripheral vascular disease,

Hagl S see Zimmermann R et al

Hall JA, Ferro A, Dickerson JEC, Brown MJ. Beta adrenoceptor subtype cross regulation in the human heart, 332

Hall R see Groves P et al

Hamilton JRL see Gibbs JL et al

Hammouda M see Bashir Y et al

Hansson GK. Immune and inflammatory mechanisms in the development of atherosclerosis, \$38

Hargreaves A see Pipilis A et al

Harlan WR see Manolio TA and Harlan WR

Hart HH see Norris RM et al

Hartley W see Phadke K et al

Hauer RNW see Visman AGR et al

Hausdorf G, Schulze-Neick I, Lange PE. Radiofrequency-assisted "reconstruction" of the right ventricular outflow tract in muscular pulmonary atresia with ventricular septal defect, 343

Haworth SG see Adatia I et al

Adatia I and Haworth SG

Hayes AM see Redington AN et al

Haywood GA, Katritsis D, Ward J, Leigh-Jones M, Ward DE, Camm AJ. Atrial adaptive rate pacing in sick sinus syndrome: effects on exercise capacity and arrhythmias, 174

Heald SC see Bashir Y et al

Henein MY, Priestley K, Davarashvili T, Buller N, Gibson DG. Early changes in left ventricular subendocardial function after successful coronary angioplasty, 501

Henein MY, Xiao HB, Brecker SJD, Gibson DG. Berheim "a" wave: obstructed right ventricular inflow or atrial cross talk? 409

Henze E see Weismüller P et al Herregods L see Jordaens L et al Ho SY see Gerlis LM et al

Redington AN et al

Holdright DR, Katz RJ, Wright CA, Sparrow JL, Sullivan AK, Cunningham AD, Fox KM. Lack of rebound during intermittent transdermal treatment with glyceryl trinitrate in patients with stable angina on background beta blocker, 223

Holme I. Relation of coronary heart disease incidence and total mortality to plasma cholesterol reduction in randomised trials: use of metaanalysis, \$42

Holt PM see Prakash A et al

Hombach V see Weismüller P et al

Hope-Stone H see Sebag-Montefiore D and Hope-Stone H

Houde C, Zahn EM, Benson LN. Transcatheter closure of Blalock-Taussig shunts with a modified Rashkind umbrella delivery system, 56 Houston A see Rankin AC et al

Houston AB. Doppler ultrasound and the apparently normal heart: editorial, 99

Hubner PIB see Andrews R et al

Huggon IC, Tabatabaei AH, Qureshi SA, Baker EJ, Tynan M. Use of a second transcatheter Rashkind arterial duct occluder for persistent flow after implantation of the first device: indications and results, 544

Hunter GJ see Gill JS et al

Hunter S. The future of paediatric cardiology in the United Kingdom: correspondence, 470

see also Gibbs JL et al

Hutter JA see Dihmis WC et al

Suleiman M-S et al

Ikeda U see Seino Y et al

Ikezoe J see Arisawa J et al

Ikram H see Richards AM et al

Ino H see Sanada H et al

Ishihara M, Sato H, Tateishi H, Kawagoe T, Yoshimura M, Muraoka Y. Impaired coronary flow reserve immediately after coronary angioplasty in patients with acute myocardial infarction, 288 Ishikura F see Kinoshita O et al

Izzat MB, Smith GH. Rupture of left ventricle after mitral valve repair: case report and new technique of repair, 366

Jackson J see Cooper JP et al

Jackson M see Kitchiner DJ et al

Jairaj PS see Shahrabani RM and Jairaj PS

Jehu D see Underwood MJ et al

Jewitt DE see Thomas MR et al

Jindani A, Aps C, Neville E, Sonmez B, Tun K, Williams BT. Postoperative cardiac surgical care: an alternative approach, 59

Jobic Y, Slama M, Tribouilloy C, Wah LLC, Choquet D, Boschat J, Penther P, Lesbre J-P. Doppler echocardiographic evaluation of valve regurgitation in healthy volunteers, 109

Joffe HS see Dihmis WC et al

Johnson RN see Norris RM et al

Jolobe O. Answers to complex questions cannot be derived from "simple" trials: correspondence, 276

Jones M see Phadke KV et al Jones S see Simpson IA et al

Jordaens L, Trouerbach J-W, Vertongen P, Herregods L, Poelaert

J, Van Nooten G. Experience of cardioverter-defibrillators inserted without thoracotomy: evaluation of transvenously inserted intracardiac leads alone or with a subcutaneous axillary patch, 14

Jordan SC see Dihmis WC et al

Rosenthal E et al

Kakadekar AP see Rosenthal E et al Karavolias GK see Paraskevaidis IA et al Kassimatis AS see Paraskevaidis IA et al Katritsis D see Bashir Y et al

Fei L et al

Haywood GA et al

Katus HA see Zimmermann R et al

Katz DR see Davies MI et al

Katz RJ see Holdright DR et al

Kawagoe T see Ishihara M et al Keeton BR see Salmon AP et al

Kenny RA see da Costa D et al

Kerr F see McLay JS et al

Kilner P, de Leval M. A model to simulate the effects of right heart pulsatile flow after modified Fontan procedure: correspondence, 93

Kimura K see Kinoshita O et al Kingma JH see van Hemel NM and Kingma JH

Kinoshita O, Yoshimi H, Nagata S, Ishikura F, Kimura K, Yamabe T, Takagaki K, Miyatake K, Omae T. Rapid increase in plasma endothelin concentrations during percutaneous balloon dilatation of the mitral valve in patients with mitral stenosis, 322

Kitchiner DJ, Jackson M, Walsh K, Peart I, Arnold R. Incidence and prognosis of congenital aortic valve stenosis in Liverpool (1960-1990), 71

Kochs M see Weismüller P et al

Kojima M see Satoh T et al

Kolettis T see Pipilis A et al

Kordosis GD see Paraskevaidis IA et al

Kozuka T see Arisawa J et al

Kremastinos DT see Paraskevaidis IA et al

Krikler DM see Cleland JGF and Krikler DM

Krikler S see Cleland JGF et al

Kübler W see Zimmermann R et al

Kumar A, Taylor GP, Sandor GGS, Patterson MWH. Pulmonary vascular disease in neonates with transposition of the great arteries and intact ventricular septum, 442

Kyriakides ZS see Paraskevaidis IA et al

Lane I see Groves P et al

Lange PE see Hausdorf G et al

Lange R see Zimmermann R et al

Langsner A see Glickstein J et al

Law NW see Vyas SK et al

Lawson CS, Cooper IC, Webb-Peploe MM. Initial experience with excimer laser angioplasty for coronary ostial stenoses, 255

Leake DS. Oxidised low density lipoproteins and atherogenesis:

Lee AJ, Lowe GDO, Woodward M, Tunstall-Pedoe H. Fibrinogen in relation to personal history of prevalent hypertension, diabetes, stroke, intermittent claudication, coronary heart disease, and family history: the Scottish Heart Health Study, 338

Lee PYC, Martin MJ, Treasure T. Propionibacterium acnes causing

perivalve abscess: correspondence, 470

Lees KR see MacFadyen RJ et al Leigh-Jones M see Haywood GA et al

Lesbre J-P see Jobic Y et al

Lewis N see Groves P et al

Littler WA see Townend JN and Littler WA Loehry CA see Vyas SK et al

Lopes AN see Connelly DT et al

Lowe GDO see Lee AJ et al

McComb JM see Griffith MJ et al

Scott CD et al

MacFadyen RJ, Lees KR, Reid JL. Double blind controlled study of low dose intravenous perindoprilat or enalaprilat infusion in elderly patients with heart failure, 293

McIntosh S see da Costa D et al

McKenna WJ see Zachara E et al

McLaren M see Bridges AB et al

McLay JS, Norris A, Campbell RW, Kerr F. Arrhythmogenic right ventricular dysplasia: an uncommon cause of ventricular tachycardia in young and old?, 158

McLeod K. Cardiotoxicity and cholesterol: abstracts in cardiology, 351

McNeill GP see Bridges AB et al

Mann J see Davies MJ et al

Manolio TA, Harlan WR. Research on coronary disease in women: political or scientific imperative: editorial, 1

Marchant B, Ranjadayalan K, Stevenson R, Wilkinson P, Timmis AD. Circadian and seasonal factors in the pathogenesis of acute myocardial infarction: the influence of environmental temperature,

Maron BJ, Pelliccia A, Spataro A, Granata M. Reduction in left ventricular wall thickness after deconditioning in highly trained Olympic athletes, 125

Martin JF see Smith REA et al

Martin MJ see Lee PYC et al

Martin RP see Rosenthal E et al

Maslowski AH see Norris RM et al

Massel DR. How sound is the evidence that thrombolysis increases the risk of cardiac rupture: review, 284

Mathias CJ see Smith GDP et al

Matsuda H see Arisawa J et al

Maurer BJ see Griffin MJ et al

Mayou R, Bryant B. Quality of life in cardiovascular disease, 460 Mbaissouroum M, O'Sullivan C, Brecker SJ, Xiao HB, Gibson DG. Shortened left ventricular filling time in dilated cardiomyopathy:

additional effects on heart rate variability? 327 Meijler FL. Is there such a thing as a normal sinus rate? viewpoint, 376
Miani D, Pinamonti B, Bussani R, Silvestri F, Sinagra G,
Camerini F. Right ventricular dysplasia: a clinical and pathological

study of two families with left ventricular involvement, 151 Michalis LK see Thomas MR et al

Mills P. From shroud waving to quality of life: editorial, 371

Miyatake K see Kinoshita O et al

Monaghan MJ see Thomas MR et al

Morgan R see Groves P et al

Morimoto S see Arisawa J et al Morton JJ see Ray SG et al Mullins PA see Chauhan A et al Muraoka Y see Ishihara M et al

Nagata S see Kinoshita O et al Naish P see Phadke KV et al Naitoh H see Arisawa J et al Neville E see Jindani A et al Newman CGH see Stewart AB et al Niaz MA see Singh RB and Niaz MA Nicholls MG see Richards AM et al Nihoyannopoulos P see Al-Mahdawi S et al Cleland JGF et al Gilligan DM et al

Niwa H see Shigematsu S et al Norris A see McLay JS et al

Norris RM, White HD, Cross DB, Woo KS, Elliott JM, Twigden D, Williams B, Johnson RN. Non-invasive diagnosis of arterial patency after thrombolytic treatment and its relation to prognosis, 485 Norris RM, White HD, Cross DB, Woo KS, Maslowski AH, Caruana MP, Hart HH, Williams B. Aspirin does not improve early arterial patency after streptokinase treatment for acute myocar-

dial infarction, 492 Northridge DB see Ray SG et al

Oakley C see Al-Mahdawi S et al

Oakley CM. Variable response to vasodilators in primary pulmonary hypertension: abstracts in cardiology, 35

see also Cleland JGF et al; Gilligan DM et al

O'Brien JR see Elwood PC et al Ohe T see Emori T et al

Ohshima K see Satoh T et al

Oldroyd KG. Beta-endorphin release in patients after spontaneous and provoked acute myocardial ischaemia: correspondence, 93

see also Ray SG et al

Omae T see Kinoshita O et al Ortega JMR see Cubero GI et al

Orzan F, Brusca A, Conte MR, Presbitero P, Figliomeni MC. Severe coronary artery disease after radiation therapy of the chest and mediastinum: clinical presentation and treatment, 496

O'Sullivan C see Mbaissouroum M et al

O'Sullivan JJ see Griffin MJ et al

Pachulski RT, Chan K-L. Progression of aortic valve dysfunction in 51 adult patients with congenital bicuspid aortic valve: assessment and follow up by Doppler echocardiography, 237

Paraskevaidis IA, Kremastinos DT, Kassimatis AS, Karavolias GK, Kordosis GD, Kyriakides ZS, Toutouzas PK. Increased response of diastolic blood pressure to exercise in patients with coronary artery disease: an index of latent ventricular dysfunction, 507

Parker J, Cleland JGF. British Cardiac Society Newsletter, 573

Patel D see Foran JPM et al

Patterson DL see Gray RP et al

Patterson MWH see Kumar A et al

Peart I see Kitchiner DJ et al

Pellegrini A see Zachara E et al

Pelliccia A see Maron BJ et al

Penther P see Jobic Y et al

Petch MC see Chauhan A et al

Peters TJ see Preedy VR et al

Phadke K, Dyet JF, Aber CP, Hartley W. Balloon angioplasty of adult aortic coarctation, 36

Phadke KV, Phillips RA, Clarke DTR, Jones M, Naish P, Carson P. Anticardiolipin antibodies in ischaemic heart disease: marker or myth, 391

Phillips RA see Phadke KV et al

Pickering J see Elwood PC et al

Pinamonti B see Miani D et al

Pipilis A, Flather M, Collins R, Hargreaves A, Kolettis T, Boon N, Foster C, Appleby P, Sleight P. Effects on ventricular arrhythmias of oral captopril and of oral mononitrate started early in acute myocardial infarction: results of a randomised placebo controlled trial, 161

Poelaert J see Jordaens L et al

Pompili A see Zachara E et al

Prakash A, Reidy JS, Holt PM. Correction of myocardial ischaemia after transcatheter embolisation of a small left coronary artery venous fistula: case report, 270

Prati PL see Zachara E et al

Preedy VR, Atkinson LM, Richardson PJ, Peters TJ. Mechanisms of ethanol-induced cardiac damage: review, 197

Presbitero P see Orzan F et al Priestley K see Henein MY et al Pringle TH see Bridges AB et al

Pumphrey CW see Simpson IA et al

Pye M see Ray SG et al

Qureshi SA see Huggon IC et al Rosenthal E et al

Rae AP see Rankin AC et al

Raines EW, Ross R. Smooth muscle cells and the pathogenesis of the lesions of atherosclerosis, \$30

Randall WC, Wehrmacher WH. Early and late arrhythmias after the Fontan operation, predisposing factors and clinical consequences: correspondence, 572

Ranjadayalan K see Davies SW et al

Marchant B et al

Stevenson RN et al

Rankin AC, Rae AP, Houston A. Acceleration of ventricular response to atrial flutter after intravenous adenosine: case report, 263

Ray SG, Pye M, Oldroyd KG, Christie J, Connelly DT, Northridge DB, Ford I, Morton JJ, Dargie HJ, Cobbe SM. Early treatment with captopril after acute myocardial infarction, 215

Redington AN, Hayes AM, Ho SY. Transcatheter stent implantation to treat aortic coarctation in infancy: case report, 80

Redington AN, Rigby ML. Novel uses of the Rashkind ductal umbrella in adults and children with congenital heart disease, 47

Rees A see Groves P et al

Reguero JJR see Cubero GI et al

Reid JL see MacFadyen RJ et al

Reidy JS see Prakash A et al

Remppis A see Zimmermann R et al

Richards AM, Crozier IG, Yandle TG, Espiner EA, Ikram H, Nicholls MG. Brain natriuretic factor: regional plasma concentrations and correlations with haemodynamic state in cardiac disease, 414

Richardson PD see Davies MJ et al

Richardson PJ see Preedy VR et al Richter P see Weismller P et al

Rickards AF see Connelly DT et al

Rigby ML see Redington AN and Rigby ML

Ring GH see Zimmermann R et al

Ritter JM see Adatia I et al

Rittoo D, Sutherland GR. Acute pulmonary artery thromboembolism treated with thrombolysis: diagnostic and monitoring uses of transoesophageal echocardiography: case report, 457

Robles de Medina EO see Visman AGR et al

Rolinson C see Berkovitz BKB and Rollinson C

Roman F. Beta-endorphin release in patients after spontaneous and provoked acute myocardial ischaemia: correspondence, 93

Rosenthal E, Qureshi SA, Chan KC, Martin RP, Skehan DJ, Jordan SC, Tynan M. Radiofrequency-assisted balloon dilatation in patients with pulmonary valve atresia and an intact ventricular septum, 347

Rosenthal E, Qureshi SA, Kakadekar AP, Anjos R, Baker EJ, Tynan M. Technique of percutaneous laser-assisted valve dilatation for valvar atresia in congenital heart disease: technique, 556

Ross R see Raines EW and Ross R

Rowland E see Connelly DT et al Rutkowski M see Glickstein J et al

Ruttley M see Groves P et al

Saad MF see Savage PJ and Saad MF

Sacco DE see Brown BG et al Saikawa T see Shigematsu S et al

Salmon AP, Keeton BR, Sethia B. Developments in interventional catheterisation and progress in surgery for congenital heart disease: achieving a balance: editorial, 479

Saltissi S see Currie P and Saltissi S

Sanada H, Shimizu M, Sugihara N, Shimizu K, Ino H, Takeda R. Increased left atrial chamber stiffness in hypertrophic cardiomyopathy,

Sandor GGS see Kumar A et al

Sano T see Arisawa J et al

Sato H see Ishihara M et al

Satoh T, Kojima M, Ohshima K. Demonstration of the Epstein-Barr genome by the polymerase chain reaction and in situ hybridisation in a patient with viral pericarditis: case report, 563

Savage PJ, Saad MF. Insulin and atherosclerosis: villain, accomplice, or innocent bystander? editorial, 473

Sbarouni E see Gilligan DM et al

Schmidt-Ott SC see Gerlis LM et al

Schofield PM see Chauhan A et al

Schulze-Neick I see Hausdorf G et al

Sciarra A see Zachara E et al

Scott A see Griffin MJ et al

Scott CD, McComb JM, Dark JH, Bexton RS. Permanent pacing after cardiac transplantation, 399

Scott NA see Bridges AB et al

Sebag-Montefiore D, Hope-Stone H. Radiation induced coronary heart disease: editorial, 481

Seino Y, Ikeda U, Shimada K. Increased expression of interleukin 6 mRNA in cardiac myxomas: case report, 565

Serjeant GR see Denbow CE et al

Sethia B see Salmon AP et al

Shah D see Cleland JGF et al

Shahrabani RM, Jairaj PS. Unruptured aneurysm of the sinus of Valsalva: a potential source of cerebrovascular embolism: case report, 266

Shepherd J see Cobbe SM and Shepherd J

Shigematsu S, Niwa H, Saikawa T. Vasospastic angina induced by prostaglandin  $F_2$ : case report, 364

Shimada K see Seino Y et al

Shimazaki Y see Arisawa J et al

Shimizu K see Sanada H et al

Shimizu M see Sanada H et al

Shimomura K see Emori T et al

Silvestri F see Miani D et al

Simpson IA, de Belder MA, Treasure T, Camm AJ, Pumphrey CW. Cardiovascular manifestations of Marfan's syndrome: improved evaluation by transoesophageal echocardiography, 104

Simpson IA, Jones S, Camm AJ. Total atrial paralysis after permanent dual chamber cardiac pacing: case report, 191

Sinagra G see Miani D et al

Singh RB, Niaz MA. Coronary heart disease in Indians, Pakistanis, and Bangladeshis: aetiology and possibilities for prevention: correspondence, 572

Skehan DJ see Rosenthal E et al

Slama M see Jobic Y et al

Sleight P see Pipilis A et al

Smith GDP, Bannister R, Mathias CJ. Post-exertion dizziness as the sole presenting symptom of autonomic failure: case report, 359

Smith GH see Izzat MB and Smith GH

Smith REA, Dobbs HJ, Martin JF. Radiotherapy, left-sided breast cancer, and ischaemic heart disease: *editorial*, 483

Sonmez B see Jindani A et al

Sparrow IL see Holdright DR et al

Spataro A see Maron BJ et al

Steinmann J see Weismüller P et al

Stevenson R see Marchant B et al

Stevenson RN, Ranjadayalan K, Umachandran V, Timmis AD. Significance of reciprocal ST depression in acute myocardial infarction: a study of 258 patients treated by thrombolysis, 211

Stewart AB, Ahmed R, Travill CM, Newman CGH. Coarctation of the aorta life and health 20-44 years after surgical repair, 65

Stratton P see Adatia I et al

Sturridge MF. Doppler ultrasound and the silent ductus arteriosus: correspondence, 193

Sugihara N see Sanada H et al

Suleiman M-S, Fernando HC, Dihmis WC, Hutter JA, Chapman RA. A loss of taurine and other amino acids from ventricules of patients undergoing bypass surgery, 241

Sullivan AK see Holdright DR et al

Sutherland GR see Rittoo D and Sutherland GR

Suty-Selton C see Brembilla-Perrot B et al

Tabatabaei AH see Huggon IC et al

Taggart DP. Cardiac surgery: moving away from intensive care: correspondence, 276

Takagaki K see Kinoshita O et al

Takeda R see Sanada H et al

Takoordial M see Brembilla-Perrot B et al

Tateishi H see Ishihara M et al Taylor G see Chauhan A et al

Taylor GP see Kumar A et al

Teien DE, Wendel J, Björnebrink J, Ekelund L. Evaluation of anatomical obstruction by Doppler echocardiography and magnetic resonance imaging in patients with coarctation of the aorta, 352

Thiel B see Brembilla-Perrot B et al

Thomas MR, Monaghan MJ, Michalis LK, Jewitt DE. Echocardiographic restenosis after successful balloon dilatation of the mitral valve with the Inoue balloon: experience of a United Kingdom centre, 418

**Thorne SA.** A new market for atherosclerosis? abstracts in cardiology, 346

Timmis AD see Davies SW et al

Marchant B et al

Stevenson RN et al

Toutouzas PK see Paraskevaidis IA et al

Townend JN, Littler WA. Angiotensin converting enzyme inhibitors in heart failure: how good are they? viewpoint, 373

Travill CM see Stewart AB et al

Treasure T. Elective replacement of the aortic root in Marfan's syndrome: editorial, 101

Postoperative cardiac surgical care: an alternative approach: comment, 59

see also Bindi F et al; Lee PYC et al; Simpson IA et al

Tribouilloy C see Jobic Y et al

Trouerbach J-W see Jordaens L et al

Tucker KJ, Wilson C. A comparison of transoesophageal atrial pacing and direct current cardioversion for the termination of atrial flutter: a prospective, randomised clinical trial, 530

Tun K see Jindani A et al

Tunstall-Pedoe H see Lee AJ et al

Twigden D see Norris RM et al

Tynan M see Huggon IC et al Rosenthal E et al

Umachandran V see Davies SW et al

Stevenson RN et al

Underwood MJ, Firmin RK, Jehu D. Aspects of psychological and social morbidity in patients awaiting coronary artery bypass grafting, 382

van Hemel NM, Kingma JH. A patient in whom self-terminating ventricular fibrillation was a manifestation of myocardial reperfusion: case

Van Nooten G see Jordaens L et al

Vertongen P see Jordaens L et al

Visman AGR, Hauer RNW, Robles de Medina EO. Unmasking of left free wall ventricular preexcitation by His bundle ablation: case report, 446

Vyas SK, Law NW, Loehry CA. Mycotic aneurysm of left subclavian artery: case report, 455

Wah LLC see Jobic Y et al

Wainwright RJ see Foran JPM et al

Walker JM see Cooper JP et al

Walsh K see Kitchiner DJ et al

Walsh KP, Abrams SE, Arnold R. Arterial duct angioplasty as an adjunct to dilatation of the valve for critical pulmonary stenosis, 260

Ward DE see Bashir Y et al

Gill JS et al

Haywood GA et al

Ward J see Haywood GA et al Watterson KG see Gibbs JL et al

Webb-Peploe MM see Lawson CS et al

Wedzicha JA see Davies SW and Wedzicha JA

Wehrmacher WH see Randall WC and Wehrmacher WH
Weismüller P, Clausen M, Weller R, Richter P, Steinmann J,
Henze E, Dormehl I, Kochs M, Adam WE, Hombach V. Noninvasive three-dimensional localisation of arrhythmogenic foci in
Wolff-Parkinson-White syndrome and in ventricular tachycardia by
radionuclide ventriculography: phase analysis of double-angulated
integrated single photon emission computed tomography (SPECT),

201 Weller R see Weismüller P et al

Wendel H see Teien DE et al

White HD see Norris RM et al

Wickens DG see Davies SW et al

Wilkinson P see Marchant B et al

Williams B see Norris RM et al Williams BT see Jindani A et al

Williamson R see Al-Mahdawi S et al

Wilson C see Tucker KJ and Wilson C

Wisheart JD see Dihmis WC et al

Witztum JL. Role of oxidised low density lipoprotein in atherogenesis, S12

Woo KS see Norris RM et al

Woodward M see Lee AJ et al Woolf N see Davies MJ et al

Davies MJ and Woolf N

Wren C see Gibbs JL et al

Wright CA see Holdright DR et al

Xiao HB, Brecker SJD, Gibson DG. Differing effects of right ventricular pacing and left bundle branch block on left ventricular function, 166

see also Henein MY et al; Mbaissouroum M et al

Yamabe T see Kinoshita O et al

Yamagami H see Arisawa J et al

Yandle TG see Richards AM et al Yarnell JWG see Elwood PC et al

Yoshimi H see Kinoshita O et al

Yoshimura M see Ishihara M et al

Yudkin JS see Gray RP et al

Zachara E, Caforio ALP, Carboni GP, Pellegrini A, Pompili A, Del Porto G, Sciarra A, Bosman C, Boldrini R, Prati PL, McKenna WJ. Familial aggregation of idiopathic dilated cardiomy-opathy: clinical features and pedigree analysis in 14 families, 129

Zahn EM see Houde C et al Zhao X-Q see Brown BG et al

Zimmerman R, Baki S, Dengler TJ, Ring GH, Remppis A, Lange R, Hagl S, Kübler W, Katus HA. Troponin T release after heart transplantation, 395

# **VOLUME 69: SUBJECT INDEX**

Accessory atrioventricular pathways, radiofrequency ablation, predictive value of local electrogram characteristics, 315

Adenosine, intravenous, acceleration of ventricular response to atrial flutter after: case report, 263

Amino acid loss from ventricles, bypass surgery, 241

Aneurysm

coronary sinus, posteroseptal accessory pathway located in, diagnosis

and radiofrequency catheter ablation: correspondence, 94 false, of pulmonary artery, associated with cardiac catheterisation: case report, 188

mycotic, of left subclavian artery: case report, 455

of sinus of Valsalva, unruptured, potential source of cerebrovascular embolism: case report, 266

Angina, vasospastic, induced by prostaglandin F2a: case report, 364 Angiograms, coronary, do they reflect progression of atherosclerosis: abstracts in cardiology, S62

Angiotensin converting enzyme inhibitors, in heart failure

how good are they: viewpoint, 373 starting treatment, how, where, and how much: editorial, 282

Anticardiolipin antibodies in ischaemic heart disease, marker or myth, 391

Anxiety, and coronary artery bypass grafting, 382

Aorta, coarctation

adult, balloon angioplasty, 36

in infancy, transcatheter stent implantation: case report, 80

life and health 20-44 years after surgical repair, 65

Aortic arch, right, and hypoplastic left heart syndrome, in a newborn: case report, 449

Aortic root, elective replacement in Marfan's syndrome: editorial, 101 Aortic valve dysfunction, in congenital bicuspid aortic valve, Doppler echocardiography, 237

Aortic valve stenosis, congenital, incidence and prognosis, Liverpool (1960-1990), 71

Apolipoprotein (a) concentrations and susceptibility to coronary artery disease in peripheral vascular disease, 26

Apparently normal heart, and Doppler ultrasound: editorial, 99 **Arrhythmias** 

early and late, after Fontan operation: correspondence, 572

ventricular, effects of oral captopril and oral mononitrate started early in myocardial infarction, randomised placebo controlled trial, 161

Arrhythmogenic right ventricular dysplasia

and Uhl's anomaly, relation between, 142 uncommon cause of ventricular tachycardia in young and old, 158

Arterial duct angioplasty, as adjunct to dilatation of the valve, for critical pulmonary stenosis, 260

Arterial patency, after thrombolytic treatment, non-invasive diagnosis, and its relation to prognosis, 485

Arteriographic view of treatment to achieve regression of coronary atherosclerosis, S48

Aspirin, does not improve early arterial patency after streptokinase treatment for acute myocardial infarction, 492

Atherogenesis, role of oxidised low density lipoprotein, S12

Atherosclerosis: foreword, S1

coronary, regression, arteriographic view of treatment, S48 do coronary angiograms reflect progression: abstracts in cardiology, S62 graft, accelerated, after heart transplantation: correspondence, 469 heat-shock protein 65 as possible new marker: abstracts in cardiology,

immune and inflammatory mechanisms in development, S38 and insulin; villain, accomplice, or innocent bystander? editorial, 473 lesions, pathogenesis, and smooth muscle cells, \$30 modification by agents that do not lower cholesterol, \$54 what is it and why does it occur, S3

Athletes, Olympic, highly trained, left ventricular wall thickness reduction after deconditioning, 125

Atrial adaptive rate pacing in sick sinus syndrome, effects on exercise capacity and arrhythmias, 174

acceleration of ventricular response after intravenous adenosine: case report, 263

termination, transoesophageal atrial pacing and direct current cardioversion compared, 530

Atrial paralysis, total, after permanent dual chamber cardiac pacing:

case report, 191

Atrium, left, increased chamber stiffness, hypertrophic cardiomyopathy,

Autonomic failure, post-exertion dizziness as sole presenting symptom: case report, 359

Autonomic function, in hypertrophic cardiomyopathy, 525
Autonomic modulation, abnormal, of QT interval, idiopathic ventric-

ular tachycardia associated with clinically normal hearts, 311

**Balloon** angioplasty

of adult aortic coarctation, 36

see also Percutaneous transluminal coronary angioplasty

Balloon dilatation of mitral valve with Inoue balloon, successful, echocardiographic restenosis after, 418

wave, obstructed right ventricular inflow or atrial Berheim "a" crosstalk? 409

Beta adrenoceptor subtype cross regulation, human heart, 332

Beta endorphin release in patients after spontaneous and provoked acute myocardial ischaemia: correspondence, 93

Birth, innervation of human cardiac conduction system, 430

Blalock-Taussig shunts, transcatheter closure with modified Rashkind umbrella delivery system, 56

Bovine collagen haemostat, early mobilisation after use, 424

Brain natriuretic factor, and haemodynamic state in cardiac disease,

Breast cancer, left-sided, radiotherapy, and ischaemic heart disease: editorial, 483

British Cardiac Society Newsletter, 95, 193, 276, 368, 471, 573

Caerphilly Prospective Heart Disease Study, exercise, fibrinogen, and other risk factors for ischaemic heart disease, 183

Calcium, ionised, in plasma from healthy volunteers and patients undergoing cardiopulmonary bypass, 404

Captopril

after myocardial infarction, early treatment, 215

oral, and oral mononitrate compared, early in myocardial infarction, effects on ventricular arrhythmias, randomised placebo controlled trial, 161

Cardiac catheterisation, percutaneous, using collagen plug (VasoSeal) haemostasis, early mobilisation after, 424

Cardiac rupture, risk, soundness of evidence that it is increased by thrombolysis: review, 284

Cardiac surgery, moving away from intensive care: correspondence, 276 Cardiac transplantation, see Heart transplantation

Cardiomyopathy

hypertrophic

autonomic function, 525

identification of mutation in beta cardiac myosin heavy chain gene,

increased left atrial chamber stiffness, 31

idiopathic, dilated, familial aggregation, clinical features and pedigree analysis, 14 families, 129 restrictive, caused by chloroquine: case report, 451

Cardiopulmonary bypass, ionised magnesium and calcium in plasma from patients undergoing, 404

Cardiotoxicity and cholesterol: abstracts in cardiology, 351 Cardiovascular disease, quality of life, 460

Cardioverter-defibrillator

implantable, implications from simple model of cost efficacy: audit, 83 inserted without thoracotomy, transvenously inserted intracardiac leads

alone of with subcutaneous axillary patch compared, 14

Carotid sinus syndrome, vasodepressor, symptomatic, benefits of fludrocortisone, 308

Catheterisation

cardiac, false aneurysm of pulmonary artery associated with: case report, 188

interventional, and surgical progress in coronary heart disease, achieving a balance: editorial, 479

Cerebrovascular embolism, unruptured aneurysm of sinus of

Valsalva a potential source: case report, 266 Chest injury, non-penetrating, occlusion of coronary vein grafts sec-

ondary to: case report, 362 Chest and mediastinum, irradiation, severe coronary artery disease following, 496

Chest syndrome, acute, in homozygous sickle cell disease, pulmonary artery pressure, 536

Chloroquine, causing restrictive cardiomyopathy: case report, 451 Cholesterol

and cardiotoxicity: abstracts in cardiology, 351

lowering concentrations in primary prevention of coronary heart disease, fact and fiction, \$70

non-lowering agents in modification of atherosclerosis, \$54

plasma, reduction, relation to CAD incidence and total mortality, meta-analysis, \$42

reduction, in prevention of coronary heart disease, therapeutic ratio-nale and guidelines, \$63

Chordae tendineae, collagen, ultrastructural quantification, 246

Circadian and seasonal factors, myocardial infarction pathogenesis, influence of environmental temperature, 385

Clam-shell device, feasibility for transcutaneous closure of morphological variations of fossa ovalis atrial septal defects (secundum), 52

Coarctation of the aorta

evaluation of anatomical obstruction by Doppler echocardiography and MRI, 352

in infancy, transcatheter stent implantation: case report, 80 life and health 20-44 years after surgical repair, 65

Collagen, in human chordae tendineae, ultrastructural quantification,

Collagen plug (VasoSeal) haemostasis, early mobilisation after use, 424

Conduction system, human cardiac, innervation at birth, 430

Congenital heart disease

adults and children, novel uses of Rashkind ductal umbrella, 47 children, circulating endothelin, 233

employment and insurance for young adults, 539

valvar atresia, percutaneous laser-assisted valve dilatation: technique, 556

Cor triatriatum, characteristic continuous wave Doppler signal: correspondence, 470

Core and peripheral temperature response to exercise, in impaired left ventricular function, 388

Coronary angioplasty, see Percutaneous transluminal coronary angio-

Coronary artery bypass grafting, psychological and social morbidity in patients awaiting, 382

Coronary artery disease

and apolipoprotein (a) concentrations, in peripheral vascular disease,

cholesterol reduction in prevention, therapeutic rationale and guidelines, \$63

fetal origins: editorial, 195

incidence and total mortality, relation to plasma cholesterol reduction in randomised trials, use of meta-analysis, \$42

increased response of diastolic blood pressure to exercise, and latent ventricular dysfunction, 507

in Indians, Pakistanis, and Bangladeshis, aetiology and possibilities for prevention: correspondence, 572

interventional catheterisation and surgical progess, achieving a balance: editorial, 479

lowering cholesterol concentrations in primary prevention, fact and fiction, \$70

radiation induced: editorial, 481

severe, after radiation therapy of chest and mediastinum, 496

Coronary artery venous fistula, small left, correction of myocardial ischaemia after transcatheter embolisation: case report, 270

Coronary blood flow, in syndrome X, effect of hyperventilation and mental stress, 516

Coronary disease, in women, research, political or scientific imperative: editorial, 1

Coronary flow reserve: editorial, 279

impaired, immediately after coronary angioplasty in patients with acute myocardial infarction, 288

Coronary heart disease, see Coronary artery disease

Coronary ostial stenoses, excimer laser angioplasty, initial experience,

Coronary vein grafts, occlusion, secondary to non-penetrating chest injury: case report, 362

Correction, 472

Cost efficacy, simple model, implications for present and future applications of implantable cardioverter-defibrillator: audit, 83

Cyanotic congenital heart disease, thromboxane A2 and prostacyclin, biosynthesis abnormalities, children, 179

Depression, and coronary artery bypass grafting, 382

Diabetes, and myocardial infarction, plasminogen activator inhibitor as

Diastolic blood pressure, increased response to exercise in coronary artery disease, and latent ventricular dysfunction, 507

Dilated cardiomyopathy

idiopathic, familial aggregation, clinical features and pedigree analysis, 14 families, 129

shortened left ventricular filling time, additional effects on heart rate variability?, 327

Direct current cardioversion, and transoesophageal atrial pacing compared, for termination of atrial flutter, 530

Dizziness, post-exertion, as sole presenting symptom of autonomic failure: case report, 359

Doppler echocardiography

and the apparently normal heart: editorial, 99

assessment in aortic valve dysfunction in congenital bicuspid aortic

and MRI, in evaluation of anatomical obstruction in coarctation of aorta, 352

and silent ductus arteriosus: correspondence, 193

valve regurgitation, healthy volunteers, 109

Doppler signal, continuous wave, characteristic, in cor triatriatum: cor-

respondence, 470

Dual chamber cardiac pacing, permanent, total atrial paralysis after: case report, 191

Ductus arteriosus, silent, Doppler ultrasound: correspondence, 193

**Dysplasia**, right ventricular, clinical and pathological study of two families with left ventricular involvement, 151

Dysplastic conditions of right ventricular myocardium, Uhl's anomaly v arrhythmogenic right ventricular dysplasia, 142

Elderly, low dose intravenous perindoprilat or enalaprilat infusion, heart failure, 293

Employment and insurance for young adults with congenital heart disease, 539

Enalaprilat, low dose intravenous infusion, heart failure, elderly, 293 Endothelin

circulating, in children with congenital heart disease, 233

plasma, rapid increase during percutaneous transvenous balloon dilatation of mitral valve in mitral stenosis, 322
Endothelium dependent and independent pulmonary artery relaxation,

in vivo detection, children, 298

Environmental temperature, influence on circadian and seasonal factors in MI pathogenesis, 385

Epstein-Barr genome, demonstration by PCR and in situ hybridisation, in viral pericarditis: case report, 563

Ethanol-induced cardiac damage, mechanisms: review, 197

Excimer laser angioplasty, for coronary ostial stenoses, initial experience, 255

Exercise

diastolic blood pressure in coronary artery disease, and latent ventricular dysfunction, 507

fibrinogen, and other risk factors for ischaemic heart disease, Caerphilly Prospective Heart Disease Study, 183

in impaired left ventricular function, core and peripheral temperature response, 388

False aneurysm of pulmonary artery, associated with cardiac catheterisation: case report, 188

Fetal origins of coronary heart disease: editorial, 195

Fibrinogen

other risk factors, and exercise, ischaemic heart disease, Caerphilly

Prospective Heart Disease Study, 183 in relation to personal history of prevalent hypertension, diabetes, stroke, intermittent claudication, coronary heart disease, and family history, the Scottish Heart Health Study, 338

Fludrocortisone, benefits in symptomatic vasodepressor carotid sinus syndrome, 308

Fontan operation

early and late arrhythmias after: correspondence, 572

modified, model to stimulate effects of right heart pulsatile flow after: correspondence, 93

pulsed Doppler echocardiographic assessment of portal venous flow patterns after, 41

Fossa ovalis atrial septal defects (secundum), morphological variations, feasibility for transcutaneous closure with clam-shell device, 52

Free radical activity and left ventricular function after thrombolysis for acute infarction, 114

Glyceryl trinitrate, intermittent transdermal treatment, lack of rebound during, background beta blocker for stable angina, 223 Graft

atherosclerosis, accelerated, after heart transplantation: correspondence,

coronary vein, occlusion, secondary to non-penetrating chest injury: case report, 362

Heart disease, in pregnancy, maternal mortality: commentary, 524 Heart failure

ACE inhibitors, how good are they: viewpoint, 373

low dose intravenous perindoprilat or enalaprilat infusion, elderly, 293

Heart rate variability, additional effects of shortened left ventricular filling time in dilated cardiomyopathy, 327

Heart transplantation

accelerated graft atherosclerosis after: correspondence, 469 permanent pacing after, 399

troponin T release after, 395

Heat-shock protein 65, antibodies to as marker for atherosclerosis: abstracts in cardiology, 346

His bundle ablation, unmasking of left free wall ventricular preexcitation by: case report, 446

Hypercholesterolaemia after chemotherapy for testis cancer: abstracts in cardiology, 351

Hypertrophic cardiomyopathy

autonomic function, 525

identification of mutation in beta cardiac myosin heavy chain gene, 136

increased left atrial chamber stiffness, 31

Hyperventilation, and mental stress, effect on coronary blood flow in syndrome X, 516

Hypoplastic left heart syndrome

with right aortic arch in a newborn: case report, 449

stenting of arterial duct combined with banding of pulmonary arteries and atrial septectomy or septostomy: technique, 551

Hypoxia and the heart: editorial, 3

Immune and inflammatory mechanisms in development of athero-

In situ hybridisation, and PCR, demonstrating Epstein-Barr genome, in viral pericarditis: case report, 563

Inflammatory mechanisms in development of atherosclerosis, S38 Innervation of human cardiac conduction system at birth, 430

Inoue balloon, and successful dilatation of mitral valve, echocardiographic restenosis after, 418

Insulin, and atherosclerosis; villain, accomplice, or innocent bystander? editorial, 473

Insurance and employment for young adults with congenital heart disease, 539

Intensive care, reduced need after cardiac surgery: correspondence, 276 Interleukin 6 mRNA, increased expression in cardiac myxomas: case report, 565

Intermittent transdermal treatment with glyceryl trinitrate, lack of rebound during, background beta blocker for stable angina, 223

Iodine-123 meta-iodobenzyl-guanidine, asymmetry of cardiac scans in ventricular tachycardia and normal, 6

Ischaemic heart disease

582

anticardiolipin antibodies, marker or myth, 391

circadian variation of tPA and its inhibitor, fVIII vWFAg, and PGI2SF, 121

exercise, fibrinogen, and other risk factors, Caerphilly Prospective Heart Disease Study, 183

and radiotherapy for left-sided breast cancer: editorial, 483

Laboratory screening: abstracts in cardiology, S29

Laser angioplasty, excimer, for coronary ostial stenoses, initial experience, 255

Laser-assisted valve dilatation percutaneous, for valvar atresia in congenital heart disease: technique, 556

Left atrial chamber stiffness, increased, in hypertrophic cardiomyopathy, 31

Left bundle branch block, and right ventricular pacing, differing effects on left ventricular function, 166

Left subclavian artery, mycotic aneurysm: case report, 455

Lipid, extracellular, role in thrombosis risk in atherosclerotic plaques,

Lisinopril, effects on cardiorespiratory, neuroendocrine, and renal function, in asymptomatic left ventricular dysfunction, 512

Low density lipoprotein, oxidised

and atherogenesis: editorial, 476 role in atherogenesis, \$12

Lowering cholesterol concentrations in primary prevention of coronary heart disease, fact and fiction, \$70

Macrophage, role in thrombosis risk in atherosclerotic plaques, 377 Magnesium, ionised, in plasma from healthy volunteers and patients undergoing cardiopulmonary bypass, 404

Magnetic resonance imaging and Doppler echocardiography, in evaluation of anatomical obstruction in coarctation of aorta, 352

Marfan's syndrome

cardiovascular manifestations, improved evaluation by transoe-sophageal echocardiography, 104

elective replacement of aortic root: editorial, 101

Maternal mortality from heart disease in pregnancy: commentary, 524 Mental stress, and hyperventilation, effect on coronary blood flow in syndrome X, 516

Meta-analysis used to relate CAD incidence and total mortality to plasma cholesterol reduction, S42
Meta-iodobenzyl-guanidine, 123I radiolabelled, asymmetry of cardiac

scans in ventricular tachycardia and normal, 6

Mitral stenosis, rapid increase in plasma endothelin during percutaneous transvenous balloon dilatation of mitral valve, 322

Mitral valve repair, left ventricle rupture after, case report and new technique of repair, 366

Monocyte recruitment and accumulation, mechanisms, \$19

Mononitrate, oral, and oral captopril compared, early in myocardial infarction, effects on ventricular arrhythmias, randomised placebo controlled trial, 161

Monophasic action potentials in multiform ventricular tachycardia

without QT prolongation: case report, 356

Mortality, maternal, from heart disease in pregnancy: commentary, 524 Mycotic aneurysm of left subclavian artery: case report, 455 Myocardial infarction

in diabetic patients, plasminogen activator inhibitor as risk factor, 228 early treatment with captopril, 215

emergency PTCA for associated intractable ventricular arrhythmias: case report, 453

impaired coronary flow reserve immediately after coronary angioplasty, 288

oral captopril and oral mononitrate started early, effects on ventricular arrhythmias, randomised placebo controlled trial, 161

pathogenesis, circadian and seasonal factors, influence of environmental temperature, 385

streptokinase treatment, adjuvant effect of aspirin, 492

transient myocardial ischaemia after does not induce ventricular arrhythmias, 303

treated by thrombolysis, significance of reciprocal ST depression, 211

Myocardial ischaemia

acute, spontaneous and provoked, and beta endorphin release: correspondence, 93

correction, after transcatheter embolisation of small left coronary artery venous fistula: case report, 270

transient, after acute myocardial infarction, does not induce ventricu-

lar arrhythmias, 303

Myocardial reperfusion, self-terminating ventricular fibrillation as manifestation: case report, 568

Myosin heavy chain gene, beta cardiac, identification of mutation in family with hypertrophic cardiomyopathy, 136

Myxomas, cardiac, increased expression of IL-6 mRNA: case report, 565

Notices, 96, 190, 276, 369, 472, 575

Obstructed right ventricular inflow, or atrial cross talk, Berheim "a" wave, **409** 

Oxidised low density lipoprotein

and atherogenesis: editorial, 476

role in atherogenesis, \$12

Pacemaker, antitachycardia, software based, long-term follow up, 250 Pacing

antitachycardia, for control of recurrent supraventricular tachycardia, financial audit, 272

cardiac, dual chamber, permanent, total atrial paralysis after: case report, 191

permanent, after heart transplantataion, 399

right ventricular, and left bundle branch block, differing effects on left ventricular function, 166

Paediatric cardiology, future, UK: correspondence, 470

Percutaneous transluminal coronary angioplasty

emergency, for intractable ventricular arrhythmias associated with myocardial infarction: case report, 453

impaired coronary flow reserve immediately after, myocardial infarction, 288

restenosis after, proposal of new comparative approaches based on quantitative angiography: correspondence, 469

successful, early changes in left ventricular subendocardial function,

Percutaneous transvenous balloon dilatation of mitral valve in mitral stenosis, plasma endothelin concentration release, 322

Pericarditis, viral, demonstration of Epstein-Barr genome by PCR and in situ hybridisation: case report, 563

Perindoprilat, low dose intravenous infusion, heart failure, elderly, 293 Peripheral and core temperature response to exercise, in impaired left ventricular function, 388

Peripheral vascular disease, apolipoprotein (a) concentrations and susceptibility to coronary artery disease, 26 Perivalve abscess, caused by Propionibacterium acnes: correspondence,

Persistent flow after first device, second transcatheter Rashkind arterial duct occluder, 544 Plasminogen activator inhibitor, risk factor for myocardial infarction

in diabetic patients, 228

Polymerase chain reaction, and in situ hybridisation, demonstrating Epstein-Barr genome, in viral pericarditis: case report, 563 Portal venous flow patterns, after Fontan operation, pulsed Doppler

echocardiographic assessements, 41 Posteroseptal accessory pathway located in coronary sinus aneurysm,

diagnosis and radiofrequency catheter ablation: correspondence, 94 Postoperative cardiac surgical care, alternative approach, 59; editorial comment, 63

Pregnancy, maternal mortality from heart disease: commentary, 524 Primary pulmonary hypertension, variable response to vasodilators: abstracts in cardiology, 35

Propionibacterium acnes causing perivalve abscess: correspondence, 470

Prostacyclin

stimulating factor, circadian variation in ischaemic heart disease, 121 and thromboxane A2, biosynthesis abnormalities, cyanotic congenital heart disease, children, 179

Prostaglandin F<sub>20</sub>, inducing vasospastic angina: case report, 364
Psychological and social morbidity in patients awaiting coronary

artery bypass grafting, 382

Pulmonary artery

banding, and atrial septectomy/septostomy and arterial duct stenting for hypoplastic left heart syndrome: technique, 551 dissection, in patient with idiopathic dilatation of pulmonry artery,

rare cause of sudden cardiac death: case report, 268

false aneurysm, associated with cardiac catheterisation: case report, 188 idiopathic dilatation, and pulmonary artery dissection, rare cause of sudden cardiac death: case report, 268

pressure, and acute chest syndrome in homozygous sickle cell disease,

relaxation, endothelium dependent and independent, in vivo detection, children, 298 thromboembolism, acute, treated with thrombolysis, uses of transoe-

sophageal echocardiography: case report, 457

Pulmonary atresia, with ventricular septal defect, radiofrequency-

assisted "reconstruction" of right ventricular outflow tract, 343 Pulmonary stenosis, critical, arterial duct angioplasty as adjunct to dilatation of the valve, 260

Pulmonary valve atresia, and intact ventricular septum, radiofrequency-assisted balloon dilatation, 347

Pulmonary vascular disease, in neonates with transposition of great arteries and intact ventricular septum, 442

Pulsed Doppler echocardiographic assessement of portal venous flow patterns after Fontan operation, 41

QT interval, abnormal autonomic modulation in idiopathic ventricular tachycardia associated with clinically normal hearts, 311 Quality of life

ACE inhibitors in heart failure: viewpoint, 373

in cardiovascular disease, 460

and cardiovascular and heart disease: editorials, 371

Radiation induced coronary artery disease: editorial, 481

Radiation therapy, chest and mediastinum, severe coronary artery disease after, 496

Radiofrequency ablation

of accessory atrioventricular pathways, predictive value of local electrogram characteristics, 315

of posteroseptal accessory pathway located in coronary sinus aneurysm: correspondence, 94

Radiofrequency-assisted balloon dilatation in pulmonary valve atresia and intact ventricular septum, 347

Radiofrequency-assisted "reconstruction" of right ventricular outflow tract in muscular pulmonary atresia with ventricular septal defect, 343 Radionuclide ventriculography, phase analysis obtained with SPECT

in Wolff-Parkinson-White syndrome and ventricular tachycardia, 201 Radiotherapy, left-sided breast cancer, and ischaemic heart disease: editorial, 483

Rashkind arterial duct occluder (umbrella)

in adults and children with congenital heart disease, novel uses, 47 modified, in transcatheter closure of Blalock-Taussig shunts, 56 second, for persistent flow after implantation of first device, 544

Reperfusion impaired coronary flow reserve immediately after, myocardial infarction, 288

myocardial, self-terminating ventricular fibrillation as manifestation: case report, 568

after coronary angioplasty, proposal of new comparative approaches

based on quantitative angiography: correspondence, 469 echocardiographic, after successful balloon dilatation of mitral valve with Inoue balloon, 418

Restrictive cardiomyopathy caused by chloroquine: case report, 451 Right heart pulsatile flow, after modified Fontan procedure, model to stimulate effects: correspondence, 93

Scottish Heart Health Study, fibrinogen in relation to personal history of prevalent hypertension, diabetes, stroke, intermittent claudication, coronary heart disease, and family history, 338

Seasonal and circadian factors, myocardial infarction pathogenesis, influence of environmental temperature, 385

Senning procedure, with haemodynamic and angiographic evaluation of venous pathway, medium-term clinical results, 436

Sick sinus syndrome, atrial adaptive rate pacing, effects on exercise capacity and arrhythmias, 174

Sickle cell disease, pulmonary artery pressure and acute chest syndrome, 536

Single photon emission computed tomography, to detect Wolff-Parkinson-White syndrome and ventricular tachycardia, 201

Sinus rate, normal, is there such a thing: viewpoint, 376
Sinus of Valsalva, unruptured aneurysm, potential source of cerebrovascular embolism: case report, 266

Smooth muscle cells

and pathogenesis of lesions of atherosclerosis, \$30 role in thrombosis risk in atherosclerotic plaques, 377

Social and psychological morbidity in patients awaiting coronary

artery bypass grafting, 382

Software based antitachycardia pacemaker, long-term follow up,

SPECT see Single photon emission computed tomography

ST depression, reciprocal, significance in acute myocardial infarction treated by thrombolysis, 211 Stenoses, coronary ostial, excimer laser angioplasty, initial experience,

Stenting of arterial duct combined with banding of pulmonary arteries and atrial septectomy or septostomy, for hypoplastic left heart syndrome: technique, 551 Streptokinase, for myocardial infarction, adjuvant effect of aspirin, 492

Subendocardial function, left ventricular, early changes after successful coronary angioplasty, 501

Sudden cardiac death, pulmonary artery dissection in patient with idiopathic dilatation of pulmonary artery as rare cause: case report, 268

Supraventricular tachycardia, recurrent, antitachycardia pacing for control, financial audit, 272

Surgical recovery ward, postoperative cardiac care, as alternative approach, 59; editorial comment, 63
Syndrome X, effect of hyperventilation and mental stress on coronary

blood flow, 516

Taurine, and other amino acids, loss from ventricles, bypass surgery,

Temperature response, core and peripheral, to exercise, in impaired left ventricular function, 388

Thrombolysis

for acute infarction, free radical activity, and left ventricular function after, 114

for acute pulmonary artery thromboembolism, uses of transoe-sophageal echocardiography: case report, 457

arterial patency after, non-invasive diagnosis and its relation to prognosis, 485

for myocardial infarction, adjuvant effect of aspirin, 492

in myocardial infarction, significance of reciprocal ST depression, 211 soundness of evidence that it increases cardiac rupture: review, 284

Thrombosis, risk in atherosclerotic plaques, role of extracellular lipid, macrophage, and smooth muscle cell content, 377

Thromboxane A2, and prostacyclin, biosynthesis abnormalities, cyan-

otic congenital heart disease, children, 179

Tissue plasminogen activator and its inhibitor, circadian variation in ischaemic heart disease, 121

Transcatheter closure of Blalock-Taussig shunts, with modified Rashkind umbrella delivery system, 56

Transcatheter embolisation, small left coronary artery venous fistula, correction of myocardial ischaemia after: case report, 270

Transcatheter stent implantation to treat aortic coarctation in infancy: case report, 80

Transient myocardial ischaemia after acute myocardial infarction does not induce ventricular arrhythmias, 303

Transoesophageal atrial pacing, and direct current cardioversion compared, for termination of atrial flutter, 530

Transoesophageal echocardiography cardiovascular manifestations of Marfan's syndrome, improved evaluation, 104

use in acute pulmonary artery thromboembolism treated with thrombolysis: case report, 457

Transplantation, see Heart transplantation
Transposition of the great arteries and intact ventricular septum, and pulmonary vascular disease in neonates, 442

Trials, "simple", answers to complex questions cannot be derived from: correspondence, 276

Troponin T release after heart transplantation, 395

Uhl's anomaly, and arrhythmogenic right ventricular dysplasia, relation between, 142

Valvar atresia in congenital heart disease, percutaneous laser-assisted valve dilatation: technique, 556

Valve regurgitation, healthy volunteers, Doppler echocardiograpic evaluation, 109

Vasodepressor carotid sinus syndrome, symptomatic, benefits of fludrocortisone, 308

Vasodilators, in primary pulmonary hypertension, variable response: abstracts in cardiology, 35

VasoSeal haemostasis, early mobilisation after use, 424

Vasospastic angina, induced by prostaglandin F<sub>2a</sub>: case report, 364 Venous pathways, medium-term clinical results of Senning procedure,

436 Ventricle, ventricular

arrhythmias

are not induced by transient myocardial ischaemia after myocardial infarction, 303

effects of oral captopril and oral mononitrate started early in myocardial infarction, randomised placebo controlled trial, 161 intractable, associated with MI, emergency PTCA: case report, 453

fibrillation, self-terminating, and manifestation of myocardial reperfusion: case report, 568

left

dysfunction, effect of lisinopril on cardiorespiratory, neuroendocrine, and renal function, 512

free wall preexcitation by His bundle ablation, unmasking: case report, 446

function

after thrombolysis for acute infarction, free radical activity, 114 differing effects of right ventricular pacing and left bundle branch

block, 166 rupture after mitral valve repair, case report and new technique of repair, 366

shortened filling time in dilated cardiomyopathy, additional effects on heart rate variability? 327

subendocardial function, early changes after successful coronary angioplasty, 501

wall thickness, reduction after deconditioning in highly trained Olympic athletes, 125

right

dvsplasia

arrhythmogenic, uncommon cause of ventricular tachycardia in young and old, 158

clinical and pathological study of two families with left ventricular involvement, 151

- myocardium, dysplastic conditions, Uhl's anomaly v arrhythmogenic right ventricular dysplasia, 142 outflow tract, radiofrequency-assisted "reconstruction", in muscular
- pulmonary atresia with ventricular septal defect, 343
- pacing, and left bundle branch block, differing effects on left ventricular function, 166
- septal defects, and transposition of great arteries, and pulmonary vas-cular disease in neonates, 442 tachycardia
  - arrhythmogenic right ventricular dysplasia an uncommon cause in young and old, 158
    asymmetry of cardiac <sup>123</sup>I MIBG scans, and in normal, 6
    idiopathic, abnormal autonomic modulation of QT interval, clinical-
- ly normal hearts, 311
- localisation of arrhythmogenic foci by SPECT, 201

- multiform, without QT prolongation, monophasic action potentials:
- rapid, inducible, without confirmed ventricular arrhythmias, clinical
- significance, 20

  Viral pericarditis, demonstration of Epstein-Barr genome by PCR and in situ hybridisation: case report, 563
- von Willebrand factor antigen, circadian variation in ischaemic heart disease, 121
- Wolff-Parkinson-White syndrome, localisation of arrhythmogenic foci by SPECT, 201
- Women, coronary disease, research, political or scientific imperative: editorial, 1